


## Geberit Mapress Stainless Steel system pipe, CrNiMo, large bundle



Example image

### Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water  $\leq 120\text{ °C}$
- For saturated steam  $\leq 120\text{ °C}$
- For service water
- For treated water
- For rainwater with a pH value of  $> 6.0$
- For grey and black water with pH value  $> 6.0$
- For extinguishing water (wet)
- For sprinklers (wet)
- For chemicals and technical liquids
- For compressed air (oil purity class 0–3)
- For negative pressure
- For inert gases (e.g. nitrogen)
- For industrial gases (e.g. acetylene, shielding gases)

- For technical building systems, industry and shipbuilding
- Application overview – Geberit Mapress Stainless Steel for liquid media
- Application overview – Geberit Mapress Stainless Steel for gaseous media

### Characteristics

- LABS-free
- Pipe end with blue protection plug

### Technical data

Product material	CrNiMo steel 1.4401 (EN 10088)
Surface roughness	1.5 $\mu\text{m}$
Thermal expansion	0.0165 mm/(m·K)
Thermal conductivity, pipe	15 W/(m·K)
Specific thermal capacity	500 J/(kg·K)

Art. no.	DN	d, $\varnothing$	di, $\varnothing$	s	L
39009	65	76.1 mm	72.1 mm	2 mm	6 m
39010	80	88.9 mm	84.9 mm	2 mm	6 m
39012	10	12 mm	10 mm	1 mm	6 m
39002	12	15 mm	13 mm	1 mm	6 m
39003	15	18 mm	16 mm	1 mm	6 m
39004	20	22 mm	19.6 mm	1.2 mm	6 m
39005	25	28 mm	25.6 mm	1.2 mm	6 m
39006	32	35 mm	32 mm	1.5 mm	6 m
39007	40	42 mm	39 mm	1.5 mm	6 m
39008	50	54 mm	51 mm	1.5 mm	6 m
39011	100	108 mm	104 mm	2 mm	6 m