


Geberit Mapress Stainless Steel reducer with plain end



Example image

Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water $\leq 120\text{ }^{\circ}\text{C}$
- For saturated steam $\leq 120\text{ }^{\circ}\text{C}$
- For service water
- For treated water
- For rainwater with a pH value of > 6.0
- For grey and black water with pH value > 6.0
- For extinguishing water (wet)
- For sprinklers (wet)
- For chemicals and technical liquids
- For compressed air (oil purity class 0–3)
- For negative pressure

- For inert gases (e.g. nitrogen)
- For industrial gases (e.g. acetylene, shielding gases)
- For technical building systems, industry and shipbuilding
- Application overview – Geberit Mapress Stainless Steel for liquid media
- Application overview – Geberit Mapress Stainless Steel for gaseous media

Characteristics

- Pressing indicator
- Leaky if unpressed
- Seal ring made of CIIR, black
- Pressing socket with transparent protection plug

Technical data

Product material | CrNiMo steel 1.4401 (EN 10088)

Art. no.	DN	d, \emptyset	d1, \emptyset	L	H
33002	12 / 10	15 mm	12 mm	5.1 cm	3.4 cm
33003	15 / 10	18 mm	12 mm	5.3 cm	3.6 cm
32303	15 / 12	18 mm	15 mm	5.5 cm	3.5 cm
33004	20 / 10	22 mm	12 mm	6 cm	4.3 cm
32305	20 / 12	22 mm	15 mm	5.9 cm	3.9 cm
32306	20 / 15	22 mm	18 mm	5.7 cm	3.7 cm
32307	25 / 12	28 mm	15 mm	6.6 cm	4.6 cm
32308	25 / 15	28 mm	18 mm	6.4 cm	4.4 cm
32309	25 / 20	28 mm	22 mm	6 cm	3.9 cm
32310	32 / 12	35 mm	15 mm	7.5 cm	5.5 cm
32311	32 / 15	35 mm	18 mm	7.4 cm	5.4 cm
32312	32 / 20	35 mm	22 mm	7.1 cm	5 cm
32313	32 / 25	35 mm	28 mm	6.8 cm	4.5 cm
32314	40 / 12	42 mm	15 mm	8.1 cm	6.1 cm
32315	40 / 15	42 mm	18 mm	8 cm	6 cm
32316	40 / 20	42 mm	22 mm	8.2 cm	6.1 cm
32317	40 / 25	42 mm	28 mm	8.3 cm	6 cm
32318	40 / 32	42 mm	35 mm	7.7 cm	5.1 cm
32319	50 / 12	54 mm	15 mm	9.7 cm	7.7 cm
32320	50 / 15	54 mm	18 mm	9.6 cm	7.6 cm
32321	50 / 20	54 mm	22 mm	9.5 cm	7.4 cm
32322	50 / 25	54 mm	28 mm	11 cm	8.7 cm
32323	50 / 32	54 mm	35 mm	10.6 cm	8 cm
32324	50 / 40	54 mm	42 mm	9.2 cm	6.2 cm

Art. no.	DN	d, ø	d1, ø	L	H
32331	65 / 50	76.1 mm	54 mm	14.6 cm	11.1 cm
32338	80 / 50	88.9 mm	54 mm	16.3 cm	12.8 cm
32339	80 / 65	88.9 mm	76.1 mm	16.1 cm	10.8 cm
32345	100 / 50	108 mm	54 mm	17.2 cm	13.7 cm
32346	100 / 65	108 mm	76.1 mm	18.4 cm	13.1 cm
32348	100 / 80	108 mm	88.9 mm	20.3 cm	14.3 cm