


## Geberit Mapress Stainless Steel bend with plain end



Example image



### Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water  $\leq 120\text{ }^{\circ}\text{C}$
- For saturated steam  $\leq 120\text{ }^{\circ}\text{C}$
- For service water
- For treated water
- For rainwater with a pH value of  $> 6.0$
- For grey and black water with pH value  $> 6.0$
- For extinguishing water (wet)
- For sprinklers (wet)
- For chemicals and technical liquids
- For compressed air (oil purity class 0–3)
- For negative pressure

- For inert gases (e.g. nitrogen)
- For industrial gases (e.g. acetylene, shielding gases)
- For technical building systems, industry and shipbuilding
- Application overview – Geberit Mapress Stainless Steel for liquid media
- Application overview – Geberit Mapress Stainless Steel for gaseous media

### Characteristics

- Pressing indicator
- Leaky if unpressed
- Seal ring made of CIIR, black
- Pressing socket with transparent protection plug

### Technical data

Product material | CrNiMo steel 1.4401 (EN 10088)

Art. no.	DN	d, $\varnothing$	arc	L	H	Z
36118	65	76.1 mm	15°	7.5 cm	8.4 cm	2.2 cm
36119	80	88.9 mm	15°	8.5 cm	9.5 cm	2.5 cm
30701	10	12 mm	45°	3.2 cm	4.1 cm	1.5 cm
30301	10	12 mm	90°	4.2 cm	4.8 cm	2.5 cm
36131	12	15 mm	30°	3.3 cm	4.3 cm	1.3 cm
30702	12	15 mm	45°	3.6 cm	4.5 cm	1.6 cm
36171	12	15 mm	60°	4 cm	5 cm	2 cm
30302	12	15 mm	90°	4.9 cm	5.9 cm	2.9 cm
36111	12	15 mm	15°	3 cm	4 cm	1 cm
36138	65	76.1 mm	30°	8.8 cm	9.7 cm	3.5 cm
36139	80	88.9 mm	30°	10.1 cm	11.1 cm	4.1 cm
30703	15	18 mm	45°	3.7 cm	4.2 cm	1.7 cm
30303	15	18 mm	90°	5.3 cm	6.1 cm	3.3 cm
36113	20	22 mm	15°	3.3 cm	4.1 cm	1.2 cm
36133	20	22 mm	30°	3.7 cm	4.6 cm	1.6 cm
30704	20	22 mm	45°	4.2 cm	5.2 cm	2.1 cm
36173	20	22 mm	60°	4.7 cm	5.6 cm	2.6 cm
30304	20	22 mm	90°	6.1 cm	7 cm	4 cm
32709	65	76.1 mm	45°	10.3 cm	11.1 cm	5 cm
36114	25	28 mm	15°	3.6 cm	4.3 cm	1.3 cm
36134	25	28 mm	30°	4.1 cm	4.8 cm	1.8 cm
30705	25	28 mm	45°	4.8 cm	5.6 cm	2.5 cm
32710	80	88.9 mm	45°	11.7 cm	12.8 cm	5.7 cm
36174	25	28 mm	60°	5.4 cm	6.1 cm	3.1 cm

Art. no.	DN	d, ø	arc	L	H	Z
30305	25	28 mm	90 °	7.2 cm	7.9 cm	4.9 cm
36115	32	35 mm	15 °	3.2 cm	4.1 cm	0.6 cm
36135	32	35 mm	30 °	3.7 cm	4.6 cm	1.1 cm
32706	32	35 mm	45 °	4.3 cm	5.3 cm	1.7 cm
36175	32	35 mm	60 °	5 cm	5.9 cm	2.4 cm
33306	32	35 mm	90 °	6.8 cm	7.4 cm	4.2 cm
36178	65	76.1 mm	60 °	11.7 cm	12.6 cm	6.4 cm
36179	80	88.9 mm	60 °	13.6 cm	14.6 cm	7.6 cm
36116	40	42 mm	15 °	3.7 cm	4.7 cm	0.7 cm
36136	40	42 mm	30 °	4.4 cm	5.4 cm	1.4 cm
32707	40	42 mm	45 °	5.1 cm	6.1 cm	2.1 cm
36176	40	42 mm	60 °	5.9 cm	6.9 cm	2.9 cm
33307	40	42 mm	90 °	8 cm	8.8 cm	5 cm
33309	65	76.1 mm	90 °	15.9 cm	16.7 cm	10.6 cm
33310	80	88.9 mm	90 °	18.5 cm	19.5 cm	12.5 cm
36117	50	54 mm	15 °	4.4 cm	5.5 cm	0.9 cm
36137	50	54 mm	30 °	5.2 cm	6.3 cm	1.7 cm
32708	50	54 mm	45 °	6.2 cm	7.3 cm	2.7 cm
36177	50	54 mm	60 °	7.2 cm	8.3 cm	3.7 cm
33308	50	54 mm	90 °	10 cm	10.8 cm	6.5 cm
36120	100	108 mm	15 °	10.3 cm	11.7 cm	2.8 cm
36140	100	108 mm	30 °	12.2 cm	13.6 cm	4.7 cm
32711	100	108 mm	45 °	14.3 cm	15.8 cm	6.8 cm
36180	100	108 mm	60 °	16.6 cm	18 cm	9.1 cm
33311	100	108 mm	90 °	23 cm	24.1 cm	15.5 cm



- In 2021, the dimensions of the aforementioned articles with dimensions d28 will be modified. The new dimensions are listed in the overview "Dimensional changes for Geberit Mapress Stainless Steel 2021"